

HD-TVI to HDMI Video Converter

TVI-VC Features:

- Allows user to connect a TVI camera directly to a monitor or TV via HDMI cable no recorder needed. Direct connect, live viewing without a recorder
- Allows for spot monitoring
- 1 TVI Input, 1 TVI loop through output, 1 HDMI output
- Supports all standards of HD-TVI including V2.0
- Lossless, uncompressed transmission
- LED Indicators
- Fully enclosed dust-proof design
- Up to 100,000 hours mean time before failure



The TVI-VC video converter has been designed to accept a single HD-TVI signal and provide one HDMI output and one HD-TVI (BNC) output. The TVI-VC is perfect for converting an HD-TVI video source to an HDMI signal to allow for viewing on a monitor that does not have an HD-TVI input, such as spot monitoring (a secondary monitor which connects directly to the camera and displays its image, commonly seen in retail store entrances). Many HD-TVI recorders do not have a spot monitor output built-in, and the TVI-VC can be sold separately to provide this function if it is required for a customer's application.

Specifications

Physical Connections	1 x BNC TVI Input, 1 x BNC TVI Loop Through Output, 1 HDMI
Input Level	>500 mVp-p
Output Format	HDMI 1.4b, A Standard interface
Input Auto Cable Equalization	1080p, 720p, supports 100M75-5 cable input with distance up to 100M
Input Format	1080p, 25/30, 720p 25/30/50/60, compatible with V2.0 HD-TVI
Input Impedance	75 Ohms
Output Resolution	720p 50/60, 1080p 50/60
Output Format Distance	HDMI 1.4b, D-type base, 10M maximum
LED	Power LED, Video Source LED
Power Supply	DC12V 1A (Included)
Power Consumption	≤8W
Operating Temperature	-22°F - 167°F
Humidity	10%~90% RH
Dimensions	1.97" x 1.18" x 0.98"
Housing Type	Wall mount

Contents Include:

- 1 TVI-VC Video Converter
- 1 Power supply

Ordering Information:

TVI-VC TVI to HDMI video converter

